Disclaimer: This product is NOT comprehensive and consists only of codes commonly related to speech-language pathology services. Mappings are only to ICD-10-CM codes, not ICD-10-PCS. Every effort was made to accurately map codes using detailed analysis. Keep in mind, however, that while many codes in ICD-9-CM map directly to codes in ICD-10, in some cases, additional clinical analysis may be required to determine which code or codes should be selected for your situation. Always review mapping results before applying them.

ICD-9- CM Code	ICD-9-CM Description	ICD-10- CM Code	ICD-10-CM Description	Notes
290.10	Presenile dementia, uncomplicated	F03.90	Unspecified dementia without behavioral disturbance	
290.40	Vascular dementia, uncomplicated	F01.50	Vascular dementia without behavioral disturbance	
290.41	Vascular dementia with delirium	F01.51	Vascular dementia with behavioral disturbance	
294.10	Dementia in conditions classified elsewhere without behavioral disturbance	F02.80	Dementia in other diseases classified elsewhere without behavioral disturbance	
294.11	Dementia in conditions classified elsewhere	F02.81	Dementia in other diseases classified elsewhere with behavioral disturbance	
299.00	Autistic disorder (current or active state)	F84.0	Autistic disorder Excludes1: Asperger's syndrome (F84.5)	
299.80	Other specified pervasive	F84.5	Asperger's syndrome	
	developmental disorders (current or active state) Aspergers's disorder	F84.8	Other pervasive developmental disorders	
299.90	Unspecified pervasive developmental disorder (current or active state)	F84.9	Pervasive developmental disorder, unspecified	
307.0	Adult onset fluency disorder	F98.5	Adult onset fluency disorder Excludes1: childhood onset fluency disorder (F80.81), dysphasia (R47.02), fluency disorder in conditions classified elsewhere (R47.82), fluency disorder (stuttering) following cerebrovascular disease (I69. with final characters -23), tic disorders (F95)	
310.81	Pseudobulbar affect Involuntary emotional expression disorder	F48.2	Pseudobulbar affect Involuntary emotional expression disorder Code first underlying cause, if known, such as: amyotrophic lateral sclerosis (G12.21), multiple sclerosis (G35), sequelae of cerebrovascular disease (I69), sequelae of traumatic intracranial injury (S06)	

ICD-9-	ICD-9-CM Description	ICD-10-	ICD-10-CM Description	Notes
CM Code		CM Code		
310.89	Other specified nonpsychotic	F07.89	Other personality and behavioral	
310.03	mental disorders following organic	107.03	disorders due to known physiological	
	brain damage		condition	
	Mild memory disturbance		Postencephalitic syndrome	
	Other focal (partial) organic		Right hemispheric organic affective	
	psychosyndromes		disorder	
	Postencephalitic syndrome			
	Excludes: memory loss of unknown			
242.22	cause (780.93)	504.0		
313.23	Selective mutism	F94.0	Selective mutism Elective mutism	
			letective mutism	
			Excludes2: pervasive developmental	
			disorders (F84), schizophrenia (F20),	
			specific developmental disorders of	
			speech and language (F80), transient	
			mutism as part of separation anxiety in	
			young children (F93.0)	
314.00	Without mention of hyperactivity	F90.9	Attention-deficit hyperactivity disorder,	
	(Attention deficit disorder)		unspecified type	
314.01	With hyperactivity (Attention	F90.0	Attention-deficit hyperactivity disorder,	
	deficit disorder)	F90.1	predominantly inattentive type Attention-deficit hyperactivity disorder,	-
		1 30.1	predominantly hyperactive type	
		F90.2	Attention-deficit hyperactivity disorder,	
			combined type	
		F90.8	Attention-deficit hyperactivity disorder,	
			other type	
		F90.9	Attention-deficit hyperactivity disorder,	
215.00	Deading discussor unsersitied	F01 0	unspecified type	
315.00	Reading disorder, unspecified	F81.0	Specific reading disorder 'Backward reading'	
			Developmental dyslexia	
			Specific reading retardation	
			Excludes1: alexia NOS (R48.0), dyslexia	
			NOS (R48.0)	
315.01	Alexia	R48.0	Dyslexia and alexia	
315.02	Developmental dyslexia	F81.0	Specific reading disorder	
			'Backward reading'	
			Developmental dyslexia Specific reading retardation	
			pecine reading retardation	
			Excludes1: alexia NOS (R48.0), dyslexia	
			NOS (R48.0)	
315.09	Other (specific reading disorder)	F81.81	Disorder of written expression	
	Specific spelling difficulty		Specific spelling disorder	

ICD-9- CM Code	ICD-9-CM Description	ICD-10- CM Code	ICD-10-CM Description	Notes
315.1	Mathematics disorder Dyscalculia	F81.2	Mathematics disorder Developmental acalculia Developmental arithmetical disorder Developmental Gerstmann's syndrome	
			Excludes1: acalculia NOS (R48.8)	
			Excludes2: arithmetical difficulties associated with a reading disorder (F81.0), arithmetical difficulties associated with a spelling disorder (F81.81),	
			arithmetical difficulties due to inadequate teaching (Z55.8)	
315.2	Other specific delays in development	F81.81	Disorder of written expression Specific spelling disorder	
	Disorder of written expression	F81.89	Other developmental disorders of scholastic skills	
315.31	Expressive language disorder (Developmental speech or language disorder)	F80.1	Expressive language disorder Developmental dysphasia or aphasia, expressive type	
			Excludes1: mixed receptive-expressive language disorder (F80.2), dysphasia and aphasia NOS (R47)	
			Excludes2: acquired aphasia with epilepsy [Landau-Kleffner] (G40.80-), selective mutism (F94.0), intellectual disabilities (F70-F79), pervasive developmental disorders (F84)	
315.32	Mixed receptive-expressive language disorder Central auditory processing disorder	F80.2	Mixed receptive-expressive language disorder Developmental dysphasia or aphasia, receptive type Developmental Wernicke's aphasia	
			Excludes1: central auditory processing disorder (H93.25), dysphasia or aphasia NOS (R47), expressive language disorder (F80.1), expressive type dysphasia or aphasia (F80.1), word deafness (H93.25)	
			Excludes2: acquired aphasia with epilepsy [Landau-Kleffner] (G40.80-), pervasive developmental disorders (F84), selective mutism (F94.0), intellectual disabilities (F70-F79)	

ICD-9- CM Code	ICD-9-CM Description	ICD-10- CM Code	ICD-10-CM Description	Notes
		H93.25	Central auditory processing disorder Congenital auditory imperception Word deafness	
			Excludes1: mixed receptive-expressive language disorder (F80.2)	
315.34	Speech and language developmental delay due to hearing loss	F80.4	Speech and language developmental delay due to hearing loss Code also: type of hearing loss (H90, H91)	
315.35	Childhood onset fluency disorder Cluttering NOS Stuttering NOS	F80.81	Childhood onset fluency disorder Excludes1: adult onset fluency disorder (F98.5), fluency disorder in conditions classified elsewhere (R47.82), fluency disorder (stuttering) following cerebrovascular disease (I69. with final characters-23)	
315.39	Other (developmental speech or language disorder) Developmental articulation disorder Dyslalia Phonological disorder	F80.89 F80.9	Phonological disorder Dyslalia Functional speech articulation disorder Lalling Lisping Phonological developmental disorder Speech articulation developmental disorder Excludes1: speech articulation impairment due to aphasia NOS (R47.01), speech articulation impairment due to apraxia (R48.2) Excludes2: speech articulation impairment due to hearing loss (F80.4), speech articulation impairment due to intellectual disabilities (F70-F79), speech articulation impairment with expressive language developmental disorder (F80.1), speech articulation impairment with mixed receptive expressive language developmental disorder (F80.2) Other developmental disorders of speech and language Developmental disorder of speech and language, unspecified Communication disorder NOS Language disorder NOS	

ICD-9- CM Code	ICD-9-CM Description	ICD-10- CM Code	ICD-10-CM Description	Notes
315.4	Developmental coordination disorder Clumsiness syndrome Dyspraxia syndrome Specific motor development disorder	F82	Specific developmental disorder of motor function	
315.5	Mixed developmental disorder	F82	Specific developmental disorder of motor function Clumsy child syndrome Developmental coordination disorder Developmental dyspraxia Excludes1: abnormalities of gait and mobility (R26) lack of coordination (R27) Excludes2: lack of coordination secondary to intellectual disabilities (F70-F79)	
315.8	Other specific delays in development	F88	Other disorders of psychological development Developmental agnosia	
315.9	Unspecified delay in development Developmental disorder NOS Learning disorder NOS	F81.9	Developmental disorder of scholastic skills, unspecified Knowledge acquisition disability NOS Learning disability NOS Learning disorder NOS Unspecified disorder of psychological development Developmental disorder NOS	
317	Mild intellectual disabilities	F70	Mild intellectual disabilities IQ level 50-55 to approximately 70 Mild mental subnormality	
318.0	Moderate intellectual disabilities	F71	Moderate intellectual disabilities IQ level 35-40 to 50-55 Moderate mental subnormality	
318.1	Severe intellectual disabilities	F72	Severe intellectual disabilities IQ 20-25 to 35-40 Severe mental subnormality	
318.2	Profound intellectual disabilities	F73	Profound intellectual disabilities IQ level below 20-25 Profound mental subnormality	
319	Unspecified intellectual disabilities	F78 F79	Other intellectual disabilities Unspecified intellectual disabilities	
330.8 331.0 _{Ame}	Other specified cerebral degenerations in childhood (Rett's syndrome)	F84.2	Rett's syndrome Excludes1: Asperger's syndrome (F84.5) Autistic disorder (F84.0) Other childhood disintegrative disorder (F84.3) Alzheimer's disease with early onset	5 of 22

ICD-9- CM Code	ICD-9-CM Description	ICD-10- CM Code	ICD-10-CM Description	Notes
		G30.1	Alzheimer's disease with late onset	
		G30.8	Other Alzheimer's disease	1
		G30.9	Alzheimer's disease, unspecified	1
331.83	Mild cognitive impairment, so stated	G31.84	Mild cognitive impairment, so stated	
332.0	Paralysis agitans Parkinsonism or Parkinson's disease	G20	Parkinson's disease Hemiparkinsonism Idiopathic Parkinsonism or Parkinson's disease Paralysis agitans Parkinsonism or Parkinson's disease NOS Primary Parkinsonism or Parkinson's disease Excludes1: dementia with Parkinsonism (G31.83)	
332.1	Secondary Parkinsonism	G21.4 G21.11	Vascular parkinsonism Neuroleptic induced parkinsonism	
			Use additional code for adverse effect, if applicable, to identify drug (T43.3X5, T43.4X5, T43.505,T43.595) Excludes1: malignant neuroleptic syndrome (G21.0)	
		G21.19	Other drug induced secondary parkinsonism Use additional code for adverse effect, if applicable, to identify drug (T36-T50 with fifth or sixth character 5)	
		G21.2	Secondary parkinsonism due to other external agents Code first: (T51-T65) to identify external agent	
		G21.3	Postencephalitic parkinsonism	
		G21.8 G21.9	Other secondary parkinsonism Secondary parkinsonism, unspecified	
335.20	Amyotrophic lateral sclerosis (Lou	G21.9 G12.21	Amyotrophic lateral sclerosis	
333.20	Gehrig's disease) Motor neuron disease (bulbar) (mixed type)		Progressive spinal muscle atrophy	
340	Multiple sclerosis	G35	Multiple sclerosis Disseminated multiple sclerosis Generalized multiple sclerosis Multiple sclerosis NOS Multiple sclerosis of brain stem Multiple sclerosis of cord	
343.0	Diplegic (Infantile cerebral palsy)	G80.1	Spastic diplegic cerebral palsy	
Amo	rican Speech Language Hearing Associa	tion	Spastic cerebral palsy NOS	6 of 22

ICD-9- CM Code	ICD-9-CM Description	ICD-10- CM Code	ICD-10-CM Description	Notes
343.1	Hemiplegic (Infantile cerebral palsy)	G80.2	Spastic hemiplegic cerebral palsy	
343.2	Quadriplegic (Infantile cerebral	G80.0	Spastic quadriplegic cerebral palsy	
	palsy)		Congenital spastic paralysis (cerebral)	
343.3	Monoplegic (Infantile cerebral palsy)	G80.8	Other cerebral palsy Mixed cerebral palsy syndromes	
343.4	Infantile hemiplegia (Infantile cerebral palsy)	G80.2	Spastic hemiplegic cerebral palsy	
343.8	Other specified infantile cerebral	G80.4	Ataxic cerebral palsy	
343.0	palsy	G80.8	Other cerebral palsy	
	Pa.3	0.00	Mixed cerebral palsy syndromes	
343.9	Infantile cerebral palsy, unspecified	G80.9	Cerebral palsy, unspecified	
345.00	Generalized nonconvulsive epilepsy	G40.309	Generalized idiopathic epilepsy and	See also: Multiple G40 codes
	(without mention of intractable		epileptic syndromes, not intractable,	for epilepsy [PDF]
	epilepsy)		without status epilepticus	
			Generalized idiopathic epilepsy and	
			epileptic syndromes NOS	
345.8	Other forms of epilepsy and	G40.801	Other epilepsy, not intractable, with	
	recurrent seizures		status epilepticus	
		G40.802	Other epilepsy, not intractable, without	
			status epilepticus	
			Other epilepsy NOS	
			Other epilepsy without intractability	
			without status epilepticus	
		G40.803	Other epilepsy, intractable, with status	
			epilepticus	
		G40.804	Other epilepsy, intractable, without status	
254.0	Dallla va alavi	CE4.0	epilepticus	
351.0	Bell's palsy	G51.0	Bell's palsy	
438.0	Cognitive deficits (Late effects of	169.01	Cognitive deficits following nontraumatic	
	cerebrovascular disease)		subarachnoid hemorrhage	
		169.11	Cognitive deficits following nontraumatic	
			intracerebral hemorrhage	
		169.21	Cognitive deficits following other	
			nontraumatic intracranial hemorrhage	
		169.31	Cognitive deficits following cerebral	
		150.04	infarction	
		169.81	Cognitive deficits following other	
		160.04	cerebrovascular disease	
		169.91	Cognitive deficits following unspecified	
438.10	Speech and language deficits	169.928	cerebrovascular disease Other speech and language deficits	
430.10	Speech and language deficits, unspecified (Late effects of	103.328	following unspecified cerebrovascular	
	cerebrovascular disease)		disease	
438.11	Aphasia (Late effects of	169.020	Aphasia following nontraumatic	
430.11	cerebrovascular disease)	103.020	subarachnoid hemorrhage	
	Concordiation (136436)	169.120	Aphasia following nontraumatic	
		1.05.120	intracerebral hemorrhage	
		169.220	Aphasia following other nontraumatic	
		1.05.220	intracranial hemorrhage	
		169.320	Aphasia following cerebral infarction	
Ame	rican Speech-Language-Hearing Associa	tion	1 - 2	7 of 22

ICD-9-	ICD-9-CM Description	ICD-10-	ICD-10-CM Description	Notes
CM Code		CM Code		
		169.820	Aphasia following other cerebrovascular	
			disease	
		169.920	Aphasia following unspecified	
			cerebrovascular disease	
438.12	Dysphasia (Late effects of	169.021	Dysphasia following nontraumatic	
	cerebrovascular disease)		subarachnoid hemorrhage	
		169.121	Dysphasia following nontraumatic	
			intracerebral hemorrhage	
		169.221	Dysphasia following other nontraumatic	
			intracranial hemorrhage	
		169.321	Dysphasia following cerebral infarction	
		169.821	Dysphasia following other	
			cerebrovascular disease	
		169.921	Dysphasia following unspecified	
			cerebrovascular disease	
438.13	Dysarthria (Late effects of	169.022	Dysarthria following nontraumatic	
	cerebrovascular disease)		subarachnoid hemorrhage	
		169.122	Dysarthria following nontraumatic	
		160.000	intracerebral hemorrhage	
		169.222	Dysarthria following other nontraumatic	
		160 222	intracranial hemorrhage	
		169.322	Dysarthria following cerebral infarction	
		169.822	Dysarthria following other	
			cerebrovascular disease	
		169.922	Dysarthria following unspecified	
420.14		100 022	cerebrovascular disease	
438.14	Fluency disorder (Late effects of cerebrovascular disease)	169.023	Fluency disorder following nontraumatic	
	·		subarachnoid hemorrhage	
	Stuttering due to late effect of CVA		Stuttering following nontraumatic subarachnoid hemorrhage	
			Subaraciiioid Hemorriage	
		169.123	Fluency disorder following nontraumatic	
			intracerebral hemorrhage	
			Stuttering following nontraumatic	
			subarachnoid hemorrhage	
		169.223	Fluency disorder following other	
			nontraumatic intracranial hemorrhage	
			Stuttering following nontraumatic	
			subarachnoid hemorrhage	
		169.323	Fluency disorder following cerebral	
			infarction	
			Stuttering following nontraumatic	
		160.022	subarachnoid hemorrhage	
		169.823	Fluency disorder following other cerebrovascular disease	
			Stuttering following nontraumatic	
		169.923	subarachnoid hemorrhage Fluency disorder following unspecified	
		103.323	cerebrovascular disease	
			Stuttering following nontraumatic	
			subarachnoid hemorrhage	
438.19	Other speech and language deficits	169 028	Other speech and language deficits	
750.13	(Late effects of cerebrovascular	103.020	following nontraumatic subarachnoid	
Ama	wispasseech-Language-Hearing Associa	tion	hemorrhage	8 of 22
Arne	үччөн Фрексп-Language-пеатту Associa	μυπ	Петноппиве	0 01 22

	ICD-9-CM Description	ICD-10-	ICD-10-CM Description	Notes
CM Code		CM Code		
		169.128	Other speech and language deficits	
		103.120	following nontraumatic intracerebral	
			hemorrhage	
		169.228	Other speech and language deficits	
			following other nontraumatic intracranial	
			hemorrhage	
		169.328	Other speech and language deficits	
			following cerebral infarction	
		169.828	Other speech and language deficits	
			following other cerebrovascular disease	
		169.928	Other speech and language deficits	
			following unspecified cerebrovascular	
			disease	
438.81	Apraxia (Other late effects of	169.090	Apraxia following nontraumatic	
	cerebrovascular disease)		subarachnoid hemorrhage	
	·	169.190	Apraxia following nontraumatic	
		103.130	intracerebral hemorrhage	
		169.290	Apraxia following other nontraumatic	
			intracranial hemorrhage	
		169.390	Apraxia following cerebral infarction	
		169.890	Apraxia following other cerebrovascular	
			disease	
		169.990	Apraxia following unspecified	
			cerebrovascular disease	
438.82	Dysphagia (Other late effects of	169.091	Dysphagia following nontraumatic	For all of the ICD-10 codes: Use
	cerebrovascular disease)		subarachnoid hemorrhage	additional code to identify the
		169.191	Dysphagia following nontraumatic	type of dysphagia, if known (R13.1-
			intracerebral hemorrhage)
		169.291	Dysphagia following other nontraumatic	
			intracranial hemorrhage	
		169.391	Dysphagia following cerebral infarction	
		169.891	Dysphagia following other	
			cerebrovascular disease	
		169.991	Dysphagia following unspecified	
			cerebrovascular disease	
438.83	,	169.092	Facial weakness following nontraumatic	
	of cerebrovascular disease)		subarachnoid hemorrhage	
	Facial droop		Facial droop following nontraumatic	
			subarachnoid hemorrhage	
		169.192	Facial weakness following nontraumatic	
			intracerebral hemorrhage	
			Facial droop following nontraumatic	
			intracerebral hemorrhage	
		169.292	Facial weakness following other	
			nontraumatic intracranial hemorrhage	
			Facial droop following other nontraumatic	
			intracranial hemorrhage	
		169.392	Facial weakness following cerebral	
			infarction	
			Facial droop following cerebral infarction	

ICD-9- CM Code	ICD-9-CM Description	ICD-10-	ICD-10-CM Description	Notes
		169.892	Facial weakness following other	
			cerebrovascular disease	
			Facial droop following other	
			cerebrovascular disease	
		169.992	Facial weakness following unspecified	
			cerebrovascular disease	
			Facial droop following unspecified	
			cerebrovascular disease	
438.84	Ataxia (Other late effects of	169.093	Ataxia following nontraumatic	
	cerebrovascular disease)		subarachnoid hemorrhage	
		169.193	Ataxia following nontraumatic	
			intracerebral hemorrhage	
		169.293	Ataxia following other nontraumatic	
			intracranial hemorrhage	
		169.393	Ataxia following cerebral infarction	
		169.893	Ataxia following other cerebrovascular	
			disease	
		169.993	Ataxia following unspecified	
			cerebrovascular disease	
438.85	Vertigo (Other late effects of	169.998	Other sequelae following unspecified	
	cerebrovascular disease)		cerebrovascular disease	
			Alteration in sensation following	
			unspecified cerebrovascular disease	
			Disturbance of vision following	
			unspecified cerebrovascular disease	
			Use additional code to identify the	
			sequelae	
438.89	Other late effects of	169.098	Other sequelae following nontraumatic	For all of the ICD-10 codes: Use
	cerebrovascular disease		subarachnoid hemorrhage	additional code to identify the
			Alterations of sensation following	sequelae
			nontraumatic subarachnoid hemorrhage	
			Disturbance of vision following	
			nontraumatic subarachnoid hemorrhage	
		169.198	Other sequelae of nontraumatic	
			intracerebral hemorrhage	
			Alteration of sensations following	
			nontraumatic intracerebral hemorrhage	
			Disturbance of vision following	
			nontraumatic intracerebral hemorrhage	
		169.298	Other sequelae of other nontraumatic	
			intracranial hemorrhage	
			Alteration of sensation following other	
			nontraumatic intracranial hemorrhage	
			Disturbance of vision following other	
			nontraumatic intracranial hemorrhage	
		169.398	Other sequelae of cerebral infarction	
			Alteration of sensation following cerebral	
			infarction	
			Disturbance of vision following cerebral	
			infarction	
	 rican Spaceh Languago Hagring Associ		Junarchon	10 of 22

ICD-9- CM Code	ICD-9-CM Description	ICD-10- CM Code	ICD-10-CM Description	Notes
		169.898	Other sequelae of other cerebrovascular	
			disease	
			Alteration of sensation following other	
			cerebrovascular disease	
			Disturbance of vision following other	
			cerebrovascular disease	
		169.998	Other sequelae following unspecified	
			cerebrovascular disease	
			Alteration in sensation following	
			unspecified cerebrovascular disease	
			Disturbance of vision following	
			unspecified cerebrovascular disease	
438.9	Unspecified late effects of	169.00	Unspecified sequelae of nontraumatic	
	cerebrovascular disease		subarachnoid hemorrhage	
		169.10	Unspecified sequelae of nontraumatic	
			intracerebral hemorrhage	
		169.20	Unspecified sequelae of other	
			nontraumatic intracranial hemorrhage	
		169.30	Unspecified sequelae of cerebral	
			infarction	
		169.80	Unspecified sequelae of other	
			cerebrovascular disease	
		169.90	Unspecified sequelae of unspecified	
470.20	5 1	120.00	cerebrovascular disease	
478.30	Paralysis, unspecified (Paralysis of	J38.00	Paralysis of vocal cords and larynx,	
478.31	vocal cords or larynx)	120.01	unspecified	
4/8.31	Unilateral, partial (Paralysis of vocal cords or larynx)	138.01	Paralysis of vocal cords and larynx, unilateral	
478.32	Unilateral, complete (Paralysis of	J38.01	Paralysis of vocal cords and larynx,	
470.32	vocal cords or larynx)	136.01	lunilateral	
478.33	, ,	J38.02	Paralysis of vocal cords and larynx,	
470.33	cords or larynx)	130.02	bilateral	
478.34	Bilateral, complete (Paralysis of	J38.02	Paralysis of vocal cords and larynx,	
770.54	vocal cords or larynx)	330.02	bilateral	
478.4	Polyp of vocal cord or larynx	J38.1	Polyp of vocal cord and larynx	
478.5	Other diseases of vocal cords	J38.2	Nodules of vocal cords	
170.5	other diseases of vocal cords	330.2	Chorditis (fibrinous)(nodosa)(tuberosa)	
			Singer's nodes	
		J38.3	Other diseases of vocal cords	1
			Abscess of vocal cords	
			Cellulitis of vocal cords	
			Granuloma of vocal cords	
			Leukokeratosis of vocal cords	
			Leukoplakia of vocal cords	
478.6	Edema of larynx	J38.4	Edema of larynx	
	•		Edema (of) glottis	
			Subglottic edema	
			Supraglottic edema	

ICD-9- CM Code	ICD-9-CM Description	ICD-10- CM Code	ICD-10-CM Description	Notes
478.70	Unspecified disease of larynx	J38.7	Other diseases of larynx Abscess of larynx Cellulitis of larynx Disease of larynx NOS Necrosis of larynx Pachyderma of larynx Perichondritis of larynx Ulcer of larynx	
478.71	Cellulitis and perichondritis of larynx	J38.7	Other diseases of larynx Abscess of larynx Cellulitis of larynx Disease of larynx NOS Necrosis of larynx Pachyderma of larynx Perichondritis of larynx Ulcer of larynx	
478.74	Stenosis of larynx	J38.6	Stenosis of larynx	
478.75	Laryngeal spasm	J38.5	Laryngeal spasm	
478.79	Other diseases of the larynx	J38.7	Other diseases of larynx Abscess of larynx Cellulitis of larynx Disease of larynx NOS Necrosis of larynx Pachyderma of larynx Perichondritis of larynx Ulcer of larynx	
478.8	Upper respiratory tract hypersensitivity reaction, site unspecified	J39.3	Upper respiratory tract hypersensitivity reaction, site unspecified	
507.0	Due to inhalation of food or vomitus (Pneumonitis due to solids and liquids)	J69.0	Pneumonitis due to inhalation of food and vomit Aspiration pneumonia NOS Aspiration pneumonia (due to) food (regurgitated) Aspiration pneumonia (due to) gastric secretions Aspiration pneumonia (due to) milk Aspiration pneumonia (due to) vomit	
524.00	Unspecified anomaly (Major anomalies of jaw size)	M26.00	Unspecified anomaly of jaw size	
524.01	Maxillary hyperplasia	M26.01	Maxillary hyperplasia	
524.02	Mandibular hyperplasia	M26.03	Mandibular hyperplasia	
524.03	Maxillary hypoplasia	M26.02	Maxillary hypoplasia	
524.04	Mandibular hypoplasia	M26.04	Mandibular hypoplasia	
524.05	Macrogenia	M26.05	Macrogenia	
524.06	Microgenia	M26.06	Microgenia	
524.07	Excessive tuberosity of jaw	M26.07	Excessive tuberosity of jaw	
524.09	Other specified anomaly (Major anomalies of jaw size)	M26.09	Other specified anomalies of jaw size	

ICD-9-	ICD-9-CM Description	ICD-10-	ICD-10-CM Description	Notes
CM Code	-	CM Code	log 10 cm pessipaon	110,00
524.10	Unspecified anomaly (Anomalies of	M26.10	Unspecified anomaly of jaw-cranial base	
	relationship of jaw to cranial base)		relationship	
	Prognathism			
	Retrognathism			
524.11	Maxillary asymmetry	M26.11	Maxillary asymmetry	
524.12	Other jaw asymmetry	M26.12	Other jaw asymmetry	
524.19	Other specified anomaly	M26.19	Other specified anomalies of jaw-cranial	
	(Anomalies of relationship of jaw to		base relationship	
	cranial base)			
524.20	Anomalies of dental arch	M26.20	Unspecified anomaly of dental arch	
	relationship		relationship	
F24.21	Anomaly of dental arch	NA2C 244	Mala salvaia a Anglala alasa I	
524.21	Malocclusion, Angle's class I Neutro-occlusion	M26.211	Malocclusion, Angle's class I Neutro-occlusion	
524.22	Malocclusion, Angle's class II	M26.212	Malocclusion, Angle's class II	
324.22	Disto-occlusion Division I	14120.212	Disto-occlusion Division I	
	Disto-occlusion Division II		Disto-occlusion Division II	
524.23	Malocclusion, Angle's class III	M26.213	Malocclusion, Angle's class III	
	Mesio-occlusion		Mesio-occlusion	
524.24	Open anterior occlusal relationship	M26.220	Open anterior occlusal relationship	
	Anterior open bite		Anterior openbite	
524.25	Open posterior occlusal	M26.221	Open posterior occlusal relationship	
	relationship		Posterior openbite	
	Posterior open bite			
524.26	Excessive horizontal overlap	M26.23	Excessive horizontal overlap	
	Excessive horizontal overjet		Excessive horizontal overjet	
524.27	Reverse articulation	M26.24	Reverse articulation	
	Anterior articulation		Crossbite (anterior) (posterior)	
	Crossbite			
524.28	Posterior articulation Anomalies of interarch distance	M26.25	Anomalies of interarch distance	
324.20	Excessive interarch distance	10120.23	Allomanes of interarch distance	
	Inadequate interarch distance			
524.29	Other anomalies of dental arch	M26.29	Other anomalies of dental arch	
52 1.25	relationship		relationship	
	Other anomalies of dental arch		Midline deviation of dental arch	
			Overbite (excessive) deep	
			Overbite (excessive) horizontal	
			Overbite (excessive) vertical	
			Posterior lingual occlusion of mandibular	
			teeth	
524.50	Dentofacial function abnormality,	M26.50	Dentofacial functional abnormalities,	
	unspecified		unspecified	
524.51	Abnormal jaw closure	M26.51	Abnormal jaw closure	
524.52	Limited mandibular range of	M26.52	Limited mandibular range of motion	
F2 1 F2	motion	1425 55		
524.53	Deviation in opening and closing of	IVI26.53	Deviation in opening and closing of the	
E24 F4	the mandible	N/26 F/	mandible	
524.54	Insufficient anterior guidance	M26.54	Insufficient anterior guidance Insufficient anterior occlusal guidance	
Δme	 rican Speech-Lanauaae-Hearina Associa	l tion	Imparticient anterior occiusal guidance	13 of 22

ICD-9- CM Code	ICD-9-CM Description	ICD-10- CM Code	ICD-10-CM Description	Notes
524.55	Centric occlusion maximum intercuspation discrepancy	M26.55	Centric occlusion maximum intercuspation discrepancy Excludes1:	
524.56		N 426 E 6	centric occlusion NOS (M26.59)	
524.56	Non-working side interference	M26.56	Non-working side interference Balancing side interference	
524.57	Lack of posterior occlusal support	M26.57	Lack of posterior occlusal support	
524.59	Other dentofacial functional abnormalities Abnormal swallowing Mouth breathing Sleep postures Tongue, lip, or finger habits	M26.59	Other dentofacial functional abnormalities Centric occlusion (of teeth) NOS Malocclusion due to abnormal swallowing Malocclusion due to mouth breathing Malocclusion due to tongue, lip or finger habits	
524.64	Temporomandibular joint sounds on opening and/or closing the jaw (Temporomandibular joint disorders)	M26.69	Other specified disorders of temporomandibular joint	
524.75	Vertical displacement of alveolus and teeth (Dental alveolar anomalies)	M26.79	Other specified alveolar anomalies	
524.76	Occlusal plane deviation (Dental alveolar anomalies)	M26.79	Other specified alveolar anomalies	
524.81	Anterior soft tissue impingement (Other specified dentofacial anomalies)	M26.81	Anterior soft tissue impingement Anterior soft tissue impingement on teeth	
524.82	Posterior soft tissue impingement (Other specified dentofacial anomalies)	M26.82	Posterior soft tissue impingement Posterior soft tissue impingement on teeth	
524.89	Other specified dentofacial anomalies	M26.89	Other dentofacial anomalies	
528.9	Other and unspecified diseases of the oral soft tissues	K13.70	Unspecified lesions of oral mucosa	ICD-9-CM code 528.9 was recommended for velopharyngeal
		K13.79	Other lesions of oral mucosa	incompetence.
529.8	Other specified conditions of the tongue	K14.8	Other diseases of tongue Atrophy of tongue Crenated tongue Enlargement of tongue Glossocele Glossoptosis Hypertrophy of tongue	
530.81	Esophageal reflux	K21.0	Gastro-esophageal reflux disease with esophagitis Reflux esophagitis	
		K21.9	Gastro-esophageal reflux disease without esophagitis Esophageal reflux NOS	
741.00	Spina bifida with hydrocephalus (Unspecified region)	Q05.4 Q05.9	Unspecified spina bifida with hydrocephalus Spina bifida, unspecified	
Ame	rican Speech-Language-Hearing Associa			14 of 22

ICD-9- CM Code	ICD-9-CM Description	ICD-10- CM Code	ICD-10-CM Description	Notes
742.1	Microcephalus (Other congenital anomalies of nervous system)	Q02	Microcephaly	
748.2	Web of larynx (Congenital	Q31.0	Web of larynx (Congenital malformations	
	anomalies of respiratory system)		of larynx)	
748.3	Other anomalies of larynx, trachea	Q31.1	Congenital subglottic stenosis	
	and bronchus (Congenital	Q31.3	Laryngocele	
	anomalies of respiratory system)	Q31.8	Other congenital malformations of larynx	
		Q32.1	Other congenital malformations of	
			trachea	
		Q32.4	Other congenital malformations of bronchus	
749.00	Cleft palate, unspecified	Q35.1	Cleft hard palate	
		Q35.3	Cleft soft palate	
		Q35.5	Cleft hard palate with cleft soft palate	
		Q35.9	Cleft palate, unspecified	
749.01	Unilateral cleft palate, complete	Q35.9	Cleft palate, unspecified	
749.02	Unilateral cleft palate, incomplete	Q35.7	Cleft uvula	
	Cleft uvula	Q35.9	Cleft palate, unspecified	
749.03	Bilateral cleft palate, complete	Q35.9	Cleft palate, unspecified	
749.04	Bilateral cleft palate, incomplete	Q35.9	Cleft palate, unspecified	
749.10	Cleft lip, unspecified	Q36.9	Cleft lip, unilateral	
749.11	Unilateral cleft lip, complete	Q36.1	Cleft lip, median	
		Q36.9	Cleft lip, unilateral	
749.12	Unilateral cleft lip, incomplete	Q36.9	Cleft lip, unilateral	
749.13	Bilateral cleft lip, complete	Q36.0	Cleft lip, bilateral	
749.14	Bilateral cleft lip, incomplete	Q36.0	Cleft lip, bilateral	
749.20	Cleft palate with cleft lip, unspecified	Q37.9	Unspecified cleft palate with unilateral cleft lip	
749.21	·	Q37.1	Cleft hard palate with unilateral cleft lip	
	complete	Q37.3	Cleft soft palate with unilateral cleft lip	
		Q37.5	Cleft hard and soft palate with unilateral cleft lip	
		Q37.9	Unspecified cleft palate with unilateral cleft lip	
749.22	Unilateral cleft palate with cleft lip,	Q37.1	Cleft hard palate with unilateral cleft lip	
	incomplete	Q37.3	Cleft soft palate with unilateral cleft lip	1
		Q37.5	Cleft hard and soft palate with unilateral	
			cleft lip	
		Q37.9	Unspecified cleft palate with unilateral cleft lip	
749.23	Bilateral cleft palate with cleft lip,	Q37.0	Cleft hard palate with bilateral cleft lip	
	complete	Q37.2	Cleft soft palate with bilateral cleft lip	
		Q37.4	Cleft hard and soft palate with bilateral cleft lip	
		Q37.8	Unspecified cleft palate with bilateral cleft lip	
749.24	Bilateral cleft palate with cleft lip,	Q37.0	Cleft hard palate with bilateral cleft lip	
	incomplete	Q37.2	Cleft soft palate with bilateral cleft lip	1
		Q37.4	Cleft hard and soft palate with bilateral	1
Δme	 Prican Speech-Language-Hearing Associa	tion	cleft lip	15 of 22

ICD-9- CM Code	ICD-9-CM Description	ICD-10- CM Code	ICD-10-CM Description	Notes
		Q37.8	Unspecified cleft palate with bilateral cleft lip	
749.25	Other combinations (Cleft palate and cleft lip)	Q37.9	Unspecified cleft palate with unilateral cleft lip	
750.0	Tongue tie Ankyloglossia	Q38.1	Ankyloglossia Tongue tie	
750.10	Anomalies of tongue, unspecified	Q38.3	Other congenital malformations of tongue Aglossia Bifid tongue Congenital adhesion of tongue Congenital fissure of tongue Congenital malformation of tongue NOS Double tongue Hypoglossia Hypoplasia of tongue Microglossia	This diagnosis could be considered for use with tongue thrust.
750.11	Aglossia	Q38.3	Other congenital malformations of tongue Aglossia Bifid tongue Congenital adhesion of tongue Congenital fissure of tongue Congenital malformation of tongue NOS Double tongue Hypoglossia Hypoplasia of tongue Microglossia	
750.12	Congenital adhesions of tongue	Q38.3	Other congenital malformations of tongue Aglossia Bifid tongue Congenital adhesion of tongue Congenital fissure of tongue Congenital malformation of tongue NOS Double tongue Hypoglossia Hypoplasia of tongue Microglossia	
750.13	Fissure of tongue rican Speech-Language-Hearing Associa	Q38.3	Other congenital malformations of tongue Aglossia Bifid tongue Congenital adhesion of tongue Congenital fissure of tongue Congenital malformation of tongue NOS Double tongue Hypoglossia Hypoplasia of tongue Microglossia	16 of 22

ICD-9-	ICD-9-CM Description	ICD-10-	ICD-10-CM Description	Notes
CM Code		CM Code		
750.15	Macroglossia	Q38.2	Macroglossia	
			Congenital hypertrophy of tongue	
750.16	Microglossia	Q38.3	Other congenital malformations of tongue	
	Hypoplasia of tongue		Aglossia	
			Bifid tongue	
			Congenital disease of tongue	
			Congenital fissure of tongue Congenital malformation of tongue NOS	
			Double tongue	
			Hypoglossia	
			Hypoplasia of tongue	
			Microglossia	
			I Wile og i ossi u	
750.19	Other (Other anomalies of tongue)	Q38.3	Other congenital malformations of tongue	
	,		Aglossia	
			Bifid tongue	
			Congenital adhesion of tongue	
			Congenital fissure of tongue	
			Congenital malformation of tongue NOS	
			Double tongue	
			Hypoglossia	
			Hypoplasia of tongue	
			Microglossia	
750.00		0000	01 11 15 11 6	
750.29	Other specified anomalies of	Q38.8	Other congenital malformations of	
754.0	pharynx Of skull, face, and jaw (Certain	Q67.0	pharynx Congonital facial asymmetry	
754.0	congenital musculoskeletal	Q67.0 Q67.1	Congenital facial asymmetry Congenital compression facies	
	deformities)	Q67.1 Q67.2	Dolichocephaly	
	derormines,	Q67.2 Q67.3		
			Plagiocephaly Other congenital defermities of skull face.	
		Q67.4	Other congenital deformities of skull, face and jaw	
			Congenital depressions in skull	
			Congenital hemifacial atrophy or	
			hypertrophy	
			Deviation of nasal septum, congenital	
			Squashed or bent nose, congenital	
			Excludes1: dentofacial anomalies	
			[including malocclusion] (M26-), syphilitic	
			saddle nose (A50.5)	
758.0	Down's syndrome	Q90.0	Trisomy 21, nonmosaicism (meiotic	For all of the ICD-10 codes: Use
	Mongolism		nondisjunction) (Down syndrome)	additional code(s) to identify any
	Translocation Down's syndrome	Q90.1	Trisomy 21, mosaicism (mitotic	associated physical conditions and
	Trisomy: 21 or 22, G		nondisjunction) (Down syndrome)	degree of intellectual disabilities
		Q90.2	Trisomy 21, translocation (Down	(F70-F79)
		000 5	syndrome)	
		Q90.9	Down syndrome, unspecified	
750.2		004.0	Trisomy 21 NOS	
758.2	Edward's syndrome	Q91.0	Trisomy 18, nonmosaicism (meiotic	
Ame	Trisomy: 18, E3 rican Speecn-Language-Hearing Associa	TION.	nondisjunction)	1/ 01 22

ICD-9- CM Code	ICD-9-CM Description	ICD-10- CM Code	ICD-10-CM Description	Notes
		Q91.1	Trisomy 18, mosaicism (mitotic	
			nondisjunction)	
		Q91.2	Trisomy 18, translocation	
		Q91.3	Trisomy 18, unspecified	
758.31	Cri-du-chat syndrome	Q93.4	Deletion of short arm of chromosome 5	
			Cri-du-chat syndrome	
758.32	Velo-cardio-facial syndrome	Q93.81	Velo-cardio-facial syndrome	
			Deletion 22q11.2	
758.33	Other microdeletions	Q93.88	Other microdeletions	
	Miller-Dieker syndrome		Miller-Dieker syndrome	
	Smith-Magenis syndrome		Smith-Magenis syndrome	
758.7	Klinefelter's syndrome (males only)	Q98.0	Klinefelter syndrome karyotype 47, XXY	
	XXY syndrome	Q98.1	Klinefelter syndrome, male with more	
			than two X chromosomes	
		Q98.3	Other male with 46, XX karyotype	
		Q98.4	Klinefelter syndrome, unspecified	
		Q98.5	Karyotype 47, XYY	
779.31	Feeding problems in newborn Slow feeding in newborn	P92.1	Regurgitation and rumination of newborn	For all of the ICD-10 codes - Excludes1: feeding problems in
		P92.2	Slow feeding of newborn	child over 28 days old (R63.3)
		P92.8	Other feeding problems of newborn	, , ,
		P92.9	Feeding problem of newborn, unspecified	
780.93	Memory loss	R41.2	Retrograde amnesia	
	Amnesia (retrograde)	R41.3	Other amnesia	
	Memory loss NOS		Amnesia NOS	
			Memory loss NOS	
			Excludes1: amnestic disorder due to	
			known physiologic condition (F04),	
			amnestic syndrome due to psychoactive	
			substance use (F10-F19 with 5th	
			character .6), mild memory disturbance	
			due to known physiological condition	
			(F06.8), transient global amnesia (G45.4)	
781.3	Lack of coordination	R27.0	Ataxia, unspecified	
	Ataxia NOS			
	Ataxia NOS			
			Excludes1: ataxia following	
	Ataxia NOS			
	Ataxia NOS	R27.8	Excludes1: ataxia following cerebrovascular disease (169. with final	
	Ataxia NOS		Excludes1: ataxia following cerebrovascular disease (I69. with final characters -93)	
781.8	Ataxia NOS Muscular incoordination	R27.8	Excludes1: ataxia following cerebrovascular disease (169. with final characters -93) Other lack of coordination Unspecified lack of coordination	
	Ataxia NOS	R27.8 R27.9 R41.4	Excludes1: ataxia following cerebrovascular disease (I69. with final characters -93) Other lack of coordination Unspecified lack of coordination Neurologic neglect syndrome	
781.8 781.94	Ataxia NOS Muscular incoordination Neurological neglect syndrome	R27.8 R27.9	Excludes1: ataxia following cerebrovascular disease (169. with final characters -93) Other lack of coordination Unspecified lack of coordination	
	Ataxia NOS Muscular incoordination Neurological neglect syndrome Facial weakness	R27.8 R27.9 R41.4	Excludes1: ataxia following cerebrovascular disease (169. with final characters -93) Other lack of coordination Unspecified lack of coordination Neurologic neglect syndrome Facial weakness Facial droop	
	Ataxia NOS Muscular incoordination Neurological neglect syndrome Facial weakness	R27.8 R27.9 R41.4	Excludes1: ataxia following cerebrovascular disease (169. with final characters -93) Other lack of coordination Unspecified lack of coordination Neurologic neglect syndrome Facial weakness	

ICD-9- CM Code	ICD-9-CM Description	ICD-10- CM Code	ICD-10-CM Description	Notes
783.3	Feeding difficulties and mismanagement Feeding problem (elderly) (infant)	R63.3	Feeding difficulties Feeding problem (elderly) (infant) NOS Excludes1:feeding problems of newborn	
			(P92), infant feeding disorder of nonorganic origin (F98.2-)	
783.40	Lack of normal physiological development, unspecified Inadequate development Lack of development	R62.50	Unspecified lack of expected normal physiological development in childhood Infantilism NOS	
783.41	Failure to thrive Failure to gain weight	R62.51	Failure to thrive (child) Failure to gain weight Excludes1: failure to thrive in child under 28 days old	
700.40		200	(P92.6)	
783.42	Delayed milestones Late talker Late walker	R62.0	Delayed milestone in childhood Delayed attainment of expected physiological developmental stage Late talker Late walker	
784.3	Aphasia	R47.01	Aphasia Excludes1: aphasia following cerebrovascular disease (I69. with final characters -20), progressive isolated aphasia (G31.01) Dysphasia Excludes1: dysphasia following	
			cerebrovascular disease (I69. with final characters -21)	
784.40	Voice and resonance disorder, unspecified	R49.9	Unspecified voice and resonance disorder Change in voice NOS Resonance disorder NOS	
784.41	Aphonia Loss of voice	R49.1	Aphonia Loss of voice	
784.42	Dysphonia Hoarseness	R49.0	Dysphonia Hoarseness	
784.43	Hypernasality	R49.21	Hypernasality	
784.44	Hyponasality	R49.22	Hyponasality	
784.49	Other voice and resonance disorders Change in voice	R49.8 R49.9	Other voice and resonance disorders Unspecified voice and resonance disorder	
784.51	Dysarthria	R47.1	Dysarthria and anarthria Excludes1: dysarthria following cerebrovascular disease (I69. with final characters -22)	

ICD-9- CM Code		ICD-10- CM Code	ICD-10-CM Description	Notes
784.52	Fluency disorder in conditions classified elsewhere Stuttering in conditions classified elsewhere	R47.82	Fluency disorder in conditions classified elsewhere Stuttering in conditions classified elsewhere Code first underlying disease or condition, such as: Parkinson's disease (G20) Excludes1: adult onset fluency disorder (F98.5), childhood onset fluency disorder (F80.81), fluency disorder (stuttering) following cerebrovascular disease (I69. with final characters-23)	
784.59	Other speech disturbance	R47.81	Slurred speech	
	Dysphasia	R47.89	Other speech disturbances	
	Slurred speech	R47.9	Unspecified speech disturbances	
784.60	Symbolic dysfunction, unspecified	R48.9	Unspecified symbolic dysfunctions	
784.61	Alexia and dyslexia Alexia (with agraphia)	R48.0	Dyslexia and alexia	
784.69	Other (Other symbolic dysfunction) Acalculia Agnosia Agraphia NOS Apraxia	R48.1 R48.2	Agnosia Astereognosia (astereognosis) Autotopagnosia Excludes1: visual object agnosia (R48.3) Apraxia Excludes1: apraxia following cerebrovascular disease (I69. with final characters -90) Other symbolic dysfunctions	Acalculia: Difficulty performing simple mathematical tasks Agnosia: Loss of ability to recognize objects, persons, sounds, shapes, or smells Apraxia: Loss of the ability to
			Acalculia Agraphia	execute or carry out movements
786.09	Other (Dyspnea and respiratory	R06.00	Dyspnea, unspecified	For all of the ICD-10 codes -
	abnormalities)	R06.09	Other forms of dyspnea	Excludes1: acute respiratory
	Respiratory distress	R06.3	Periodic breathing	distress syndrome (J80),
	Respiratory insufficiency	R06.89	Cheyne-Stokes breathing Other abnormalities of breathing Breath-holding (spells) Sighing	respiratory arrest (R09.2), respiratory arrest of newborn (P28.81), respiratory distress syndrome of newborn (P22), respiratory failure (J96), respiratory failure of newborn (P28.5)
786.2	Cough	R05	Cough Excludes1: cough with hemorrhage (R04.2), smoker's cough (J41.0)	
787.20	Dysphagia, unspecified	R13.10	Dysphagia, unspecified Difficulty in swallowing NOS	
787.21	Dysphagia, oral phase	R13.11	Dysphagia, oral phase	
787.22	Dysphagia, oropharyngeal phase	R13.12	Dysphagia, oropharyngeal phase	
787.23	Dysphagia, pharyngeal phase	R13.13	Dysphagia, pharyngeal phase	

ICD-9- CM Code	ICD-9-CM Description	ICD-10- CM Code	ICD-10-CM Description	Notes
787.24	Dysphagia, pharyngoesophageal	R13.14	Dysphagia, pharyngoesophageal phase	
787.29	other dysphagia Cervical dysphagia Neurogenic dysphagia	R13.19	Other dysphagia Cervical dysphagia Neurogenic dysphagia	
794.00	Abnormal function study, unspecified (Brain and central nervous system)	R94.09	Abnormal results of other function studies of central nervous system (Abnormal results of function studies of central nervous system)	
794.09	Other (Brain and central nervous system) Abnormal brain scan	R94.02	Abnormal brain scan (Abnormal results of function studies of central nervous system)	
		R94.09	Abnormal results of other function studies of central nervous system (Abnormal results of function studies of central nervous system)	
794.15	Abnormal auditory function studies (Peripheral nervous system and special senses)	R94.120	Abnormal auditory function study (Abnormal results of function studies of peripheral nervous system and special senses)	
794.16	Abnormal vestibular function studies (Peripheral nervous system and special senses)	R94.121	Abnormal vestibular function study (Abnormal results of function studies of peripheral nervous system and special senses)	
799.51	Attention or concentration deficit (Signs and symptoms involving cognition)	R41.840	Attention and concentration deficit (Other specified cognitive deficit) Excludes1: attention-deficit hyperactivity disorders (F90)	For more information on use of the "other specified cognitive deficit" codes, see "Policy Analysis: Autism and Cognitive Communication Codes Don't Go Together" in the February 1, 2013, issue of The ASHA Leader.
799.52	Cognitive communication deficit (Signs and symptoms involving cognition)	R41.841	Cognitive communication deficit (Other specified cognitive deficit)	For more information on use of the "other specified cognitive deficit" codes, see "Policy Analysis: Autism and Cognitive Communication Codes Don't Go Together" in the February 1, 2013, issue of The ASHA Leader.
799.53	Visuospatial deficit (Signs and symptoms involving cognition)	R41.842	Visuospatial deficit (Other specified cognitive deficit)	For more information on use of the "other specified cognitive deficit" codes, see "Policy Analysis: Autism and Cognitive Communication Codes Don't Go Together" in the February 1, 2013, issue of The ASHA Leader.
799.54	Psychomotor deficit (Signs and symptoms involving cognition)	R41.843	Psychomotor deficit (Other specified cognitive deficit)	For more information on use of the "other specified cognitive deficit" codes, see "Policy Analysis: Autism and Cognitive Communication Codes Don't Go Together" in the February 1, 2013, issue of The ASHA Leader.

ICD-9-	ICD-9-CM Description	ICD-10-	ICD-10-CM Description	Notes
CM Code		CM Code		
799.55	Frontal lobe and executive function	R41.844	Frontal lobe and executive function deficit	
	deficit (Signs and symptoms		(Other specified cognitive deficit)	the "other specified cognitive
	involving cognition)			deficit" codes, see "Policy
				Analysis: Autism and Cognitive
				Communication Codes Don't Go
				Together" in the February 1, 2013,
				issue of The ASHA Leader.
799.59	Other signs and symptoms	R41.89	Other symptoms and signs involving	For more information on use of
	involving cognition		cognitive functions and awareness	the "other specified cognitive
			Anosognosia	deficit" codes, see "Policy
				Analysis: Autism and Cognitive
				Communication Codes Don't Go
				Together" in the February 1, 2013,
V42.64	5 11:: (/ !)	707.724	6 11:1	issue of The ASHA Leader.
V13.64	Personal history of (corrected)	Z87.721	Personal history of (corrected) congenital	
	congenital malformation of eye,	Z87.730	malformations of ear	
	ear, face and neck	287.730	Personal history of (corrected) cleft lip	
	Corrected cleft lip and palate	Z87.790	and palate Personal history of (corrected) congenital	
		267.790	malformations of face and neck	
V15.52	History of traumatic brain injury	Z87.820	Personal history of traumatic brain injury	
V40.1	Problems with communication	Z86.59	Personal history of other mental and	
V40.1	(including speech)	200.33	behavioral disorders	
V44.0	Tracheostomy	Z93.0	Tracheostomy status	
V44.0 V49.85	Dual-sensory impairment	Z73.82	Dual sensory impairment	
V52.8	Fitting and adjustment of	Z44.8	Encounter for fitting and adjustment of	
V 32.0	prosthetic device and implant,	244.0	other external prosthetic devices	
	Other specified prosthetic device		other external prostrictic devices	
V52.9	Unspecified prosthetic device	Z44.9	Encounter for fitting and adjustment of	
52.3	onspecimen prostrictic device		unspecified external prosthetic device	
V53.2	Fitting and adjustment of other	Z46.1	Encounter for fitting and adjustment of	
	device, hearing aid		hearing aid	
V57.3	Speech-language therapy	Z51.89	Encounter for other specified aftercare	
V72.11	Encounter for hearing exam	Z01.110	Encounter for hearing examination	
	following failed hearing screening		following failed hearing screening	
V72.12	Encounter for hearing conservation	701 12	Encounter for hearing conservation and	
۷, ۷, ۲, ۱۲	and treatment	201.12	treatment	
V80.01		Z13.850	Encounter for screening for traumatic	
V00.01	eye, and ear diseases, traumatic	213.030	brain injury	
	brain injury		Stant Hijary	
	prain injury			